

# Batibox™

### flush-mounting boxes for dry partitions



800 54





800 53







Pack	Cat.Nos	1-gang boxes
20	800 40	For 1 module Drilling diameter 32 mm Depth 40 mm
50	800 41	For 1 gang or 2 modules For wiring accessories using screws or claws Drilling diameter 67 mm Depth 40 mm
50 20	800 51 800 61	Depth 50 mm

			Multi-gang boxes
			For mounting equipment using screws Drilling diameter 67 mm Supplied with removable dividers for accommodating extended functions
15	Depth 40 800 49	Depth 50	For 83.5 mm fixing centres Compatible with: Arteor, Céliane and Mosaic ranges 3 modules horizontal mounting
20 20	893 42	893 53	For 57 mm fixing centres Compatible with: Céliane and Mosaic ranges 2-gang, 4 modules vertical or horizontal mounting 3-gang, 6 modules vertical or horizontal mounting
30	800 42	800 52	For 60 and 71 mm fixing centres Compatible with: Arteor, Galea Life, Céliane, Mosaic, Valena, Suno and Cariva 2-gang or 4/5 modules Horizontal or vertical use
30	800 43	800 53	3-gang or 6/8 modules Horizontal or vertical use
30 15	800 44	800 54	4-gang or 8/10 modules Horizontal or vertical use

	Pack	Cat.Nos	Tools for flush-mounting boxes		
	FACK	Cat.NOS			
	1	800 77	Installation gauge For easy marking and cutting out of plasterboard in multi-gang configuration from an existing hole Integrated bubble level		
	1	800 67	Hole cutter Supplied with centring drill Bi-metallic hole cutter Equipped with an extractor spring Ø67 mm 1 to 4-gang boxes For use in the following materials: plasterboard, wood, fibreboard, stainless steel reinforced life M3 HSS teeth Pilot drill with carbide tip		
<b>)</b>	1	800 66	Keyhole cutter For use in plasterboard Equipped with an 8 mm long, 0.9 mm thick removable blade, used for cutting out positions for mounting multi-gang boxes Supplied with 2 interchangeable blades		
			Universal covers		
	20	801 80	For converting wiring devices boxes into junction boxes or for closing up an existing box Supplied with fixing screws For one-gang or multi-gang boxes Round cover, Ø85 mm, for 1-gang box		
)	20	892 81	Square cover, 80 x 80 mm, for 1-gang box		
)	10	801 82	Cover for Batibox 2-gang box, 71 mm fixing centres		
_					

**Accessory** 

801 97

20

Long screw Ø3 mm length 40 mm for all Batibox boxes

		Divider for multi-gang boxes
		For installation in Batibox flush-mounting boxes Used for wiring devices with fixing screws in horizontal position
10	800 71	For 40 mm deep boxes
10	800 72	For 50 mm deep boxes

Flush-mounting boxes for Vela range (p. 720)



## **Batibox**<sup>TM</sup>

### flush-mounting boxes for dry partitions (continued)

# **Batibox**<sup>TM</sup> flush-mounting boxes for dry partitions



893 46 892 43 example of use

Pack	Cat.Nos	Boxes with cover for luminaires
30	893 36	For ceiling rose unit Ø67 mm - depth 50 mm Supplied with hook Equipped with 4 inputs Ø16-20
50	893 46	For striplight Ø40 mm - depth 40 mm





		Fixing accessories for ceiling rose units
10	892 43	Anchoring device Quick installation by self-locking system Supplied with 2 m long steel cable Used to secure a ceiling rose unit by anchoring on the framework of the structure (up to 25 kg) Automatic tightening of the cable without any tool APAVE certified resistance
10	892 86	Threaded rod, length 160 mm for anchoring on the frame Supplied with M6 nut


		Junction boxes		
		Supplied with cover and screws Knockout base		
		Box ext. dim. Cover dim. (mm)		
20	893 70	Ø67 x 40 mm	Ø80 mm	
10	893 71	Ø85 x 40 mm	100 x 100 mm	
10	893 72	115 x 115 x 40 mm	140 x 140 mm	
10	893 73	160 x 105 x 40 mm	190 x 135 mm	
10	893 74	170 x 170 x 50 mm	195 x 195 mm	
10	893 75	230 x 170 x 50 mm	225 x 210 mm	




Hole cutter saw Ø67 Box Ø67 mm, more space for cabling



Retractable fixing claws for a better comfort during installation



Fixing claws adapted to the thickness of the wall Automatic positioning, even with an electric screwdriver



Large space to improve fixing (according to the drilling Ø67 to 68 mm)

### **Batibox**<sup>TM</sup>

### flush-mounting boxes for masonry









801 41 + 801 99

2 x 801 08 (back to back joining)

313 01 (fitted alongside)

892 75

Pack	Cat.Nos	1-gang boxes
10	801 40	For 1 module Depth 40 mm - Width 32 mm
100 100	801 41 801 51	Square boxes for joining together For wiring accessories using screws or claws 1-gang boxes can be used to make up multi-gang boxes by joining Can be used horizontally or vertically 71 mm fixing centres Cutting out of internal partitions for mounting extended functions Supplied with screws fitted with protective shield Knockout cable entries, Ø16-20-255 Depth 40 mm Depth 50 mm
100	801 08	Round Depth 40 mm - Ø67 mm Upper flange can be cut to obtain a depth of 30 mm (for controls, 2-way switches, push-buttons, etc.) Boxes can be joined back to back by 1/4 of a turn Adjustable dimensions (80, 70 or 60 mm) by cutting the flange With screws

			Supplied without screws Can be used with Arteor, Céliane, Galea Life, Mosaic, Vela, Valena and Suno ranges, Horizontal and vertical mounting
	250	313 01	1-gang unit Can be fitted alongside one another Can be used as junction box with cover Cat.No 892 81
	20	892 81	Cover 80 x 80 mm used in order to convert boxes Cat.No 313 01 into junction boxes
l			Box for 20 A and 32 A sockets
ļ	5	801 85	1-gang 85 x 85 mm For cable outlets Cat.No 314 90 and 20 A sockets Cat.Nos 554 52/55/57 and 32 A sockets Cat.Nos 558 12/15/17 Depth 50 mm Vertical positioning of the screws for fixing 20 A and 32 A sockets

Box for shaver socket

801 55 For Mosaic shaver socket Cat.No 744 86, and Céliane Cat.No 671 59 Depth 50 mm

**Complete junction boxes** 

Pack Cat.Nos Universal box for screw or claw mounting

		Multi-gang boxes
10	801 49	Batibox for masonry For 3 module Arteor, Céliane, Vela, Mosaic ranges Supplied with screws Depth 40 mm Knockout cable entries, Ø16-20-25
		Batibox for multi-material
1	801 24	For Arteor, Mosaic, Céliane, Galea Life ranges Depth 50 mm 2 x 2 gang or 2 x 4/5 modules
1	801 26	Dimensions: 142 x 142 mm 2 x 3 gang or 2 x 6/8 modules Dimensions: 213 x 142 mm
		Box for Italian type boxes for masonry For screw or claw mounting devices Arteor, Mosaic, Céliane, Vela ranges Supplied without screws Horizontal mounting Depth 50 mm
1 1 50		For 3 modules - 106 x 71 mm For 4 modules - 130 x 71 mm For 6 modules - 186 x 71 mm
		Divider for multi-gang boxes
10 10	800 71 800 72	For installation in flush-mounting boxes Used for wiring devices with fixing screws in horizontal position For 40 mm deep boxes For 50 mm deep boxes

		Luminaire boxes with cover
50	892 56	For ceiling rose units Ø65 mm - depth 50 mm Supplied with hook
50	892 46	For striplights Ø40 mm - depth 40 mm





		Rectangular with knockout cable entries		
		Boxes supplied with cover and screws Supplied with plaster shield (except for Cat.No 892 71)		
		Box ext. dim. (mm)	Cover dim. (mm)	
10	892 71	85 x 85 x 40	100 x 100	
10	892 72	120 x 120 x 40	140 x 140	
10	892 73	165 x 115 x 40	190 x 135	
10	892 74	175 x 175 x 40	195 x 195	
10	892 75	230 x 180 x 50	255 x 210	
		Large capacity		
		Accept Ø25 and 32 tubes		
2	892 77	400 x 180 x 70 mm		
2	892 78	390 x 245 x 70 mm		







### **Batibox**™

### flush-mounting boxes for masonry (continued)

### Batibox™ flush-mounting boxes for masonry

# 819 40

801 67



Pack	Cat.Nos	Universal covers
		For converting wiring devices boxes into junction boxes or for closing up an existing box Supplied with fixing screws For one-gang or multi-gang boxes
20	801 80	Round cover, Ø85 mm, for 1-gang box
20	892 81	Square cover, 80 x 80 mm, for 1-gang box
10	801 82	Cover for Batibox 2-gang box, 71 mm fixing centres

		Equipment accessories	
20	801 97	Long screw Ø3 mm length 40 mm for all Batibox boxes	
10	801 99	Plaster shield for protecting the internal volume For 1 to 4-gang and multi-gang square boxes Dimensions 70 x 70 mm Colour marking for identifying after plastering	

### **Tool for flush-mounting boxes**


Tungsten carbide gritted saw
For use in very hard or abrasive materials (bricks, building blocks, tiling, cement, hard woods, composites, plasterboard, etc.)
Equipped with a carbide tipped pilot drill. Ideal for drilling holes intended for mounting multi-material



50	819 40	Box for concrete walls One-gang box For mounting - in wooden casing alone, - with blanking cover Cat.No 819 72 Fixing of screw or claw-mounting wiring accessories with ring Cat.No 819 60 Can be combined side by side with cover Cat.No 819 71 (consult us)
20	819 72	Cover for concrete boxes Installation/blanking cover used for installation on wooden casing or for blanking in back to back mounting
20	819 60	Ring Ø64 mm ring for 1-gang box Cat.No 819 40 Supplied with screws For mounting equipment using screws



### **■** Installation




Horizontal or vertical joining of 1 gang boxes (Cat.No 801 41)



The sides can be removed before or after joining



The screws are supplied with protection cap (against plaster)



Protection cover (Cat.No 801 99) Colour marking for identifying after plastering