# Lighting

**PHILIPS** 



## **CorePro Plastic LED Specialties**

### Corepro LED T25 ND 1.7-15W E14 827

The LED specialties can be easily intalled for certain application.

#### **Product data**

General Information	
Cap-Base	E14
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	240 degree(s)
Luminous Flux	150 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	88.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RGO
Operating and Electrical	

operating and Electricat	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	1.7 W
Lamp Current (Nom)	20 mA


Wattage Equivalent	15 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.4	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	55 °C	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Shape	T25	
Net Weight (Piece)	0.008 kg	
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	2 kWh	
EPREL Registration Number	391879	
CE mark	Yes	
EU RoHS compliant	Yes	

#### **CorePro Plastic LED Specialties**

EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per	1
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	Corepro LED T25 ND 1.7-15W E14 827


Full product name	Corepro LED T25 ND 1.7-15W E14 827
Full product code	871951438986100
Order code	929001325702
Material Nr. (12NC)	929001325702
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514389861
Numerator - Packs per outer box	12
EAN/UPC - Case	8719514389878

#### Dimensional drawing



## Product D C Corepro LED T25 ND 1.7-15W E14 827 25 mm 59 mm

#### Photometric data



Light Distribution Diagram - Corepro LED T25 ND 1.7-15W E14 827

	1 x 92/04/3357 2790K 1.7W
	1 x 150 hr
New XING C	


2

General Uniform Liabring

General uniform lighting - Corepro LED T25 ND 1.7-15W E14 827


#### **CorePro Plastic LED Specialties**

Photometric data



Spectral Power Distribution Colour - Corepro LED T25 ND 1.7-15W E14 827

#### Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - Corepro LED T25 ND 1.7-15W E14 827



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2025, March 5 - data subject to change