



CorePro LEDcapsule MV



CorePro LEDcapsule 3.2-40W ND G9 827

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	8,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux	400 lm
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per	1
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4

Photobiological safety according to EN 62471	RG0
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	3.2 W
Lamp Current (Nom)	30 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	82 ℃
Controls and Dimming	
Dimmable	No


Datasheet, 2023, April 16 data subject to change

CorePro LEDcapsule MV

Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	Capsule
Approval and Application	
Energy Efficiency Class	E
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	453190
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Application Conditions	
can it be used in closed luminaires	No
Due don't Date	
Product Data	
Order product name	CorePro LEDcapsule 3.2-40W ND G9
	827


Full product name	CorePro LEDcapsule 3.2-40W ND G9	
	827	
Full product code	871951430393500	
Local code description	LED3.2G9827	
Order code	929002495502	
Material Nr. (12NC)	929002495502	
Local order code	LED3.2G9827	
Numerator - Quantity Per Pack	1	
Net Weight (Piece)	0.012 kg	
EAN/UPC - Product/Case	8719514303935	
Numerator - Packs per outer box	12	
EAN/UPC - Case	8719514303942	


Dimensional drawing



Product	D	С
CorePro LEDcapsule 3.2-40W ND G9 827	16.5 mm	54 mm

Photometric data






General uniform lighting - CorePro LEDcapsule 3.2-40W ND G9 827

Light Distribution Diagram - CorePro LEDcapsule 3.2-40W ND G9 827


CorePro LEDcapsule MV


Photometric data



Spectral Power Distribution Colour - CorePro LEDcapsule 3.2-40W ND G9 827

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDcapsule 3.2-40W ND G9 827



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.