DG-M-1.16.1 1/4



PRODUCT-DETAILS

## DG-M-1.16.1

## DG-M-1.16.1 DALI Gateway, MDRC



**General Information** 

Extended Product Type	DG-M-1.16.1
Product ID	2CDG510012R0011
EAN	4016779067409
DALI gateway MDRC 1	DG-M-1.16.1 DALI Gateway, MDRC
	DALI gateway MDRC for ABB-free@home.
	For controlling DALI devices via free@home.

One DALI output for max. 16 DALI devices.

Supports the control of DT=, DT6 and DT8 (color temperature Tc & RGB(W) according to EN 62386-209).

Integrated DALI power supply for the DALI devices.

Each DALI device can be controlled separately or via free@home groups and scenes.

Staircase lighting, blocking and forced functions are available. For single master operation.

Commissioning is carried out via the free@home user interface.

DALI addressing is automatic.

Programming only when bus voltage is applied via the web interface of the System

## Installation

Long Description

Instructions and 2CDG941221P0001 DG-M-1.16.1 2/4

Manuals	
Wiring Diagram	9AKK108469A7049
Mounting Type	DIN-Rail
Environmental	
Ambient Air Temperature	Operation -5 +45 °C
Degree of Protection	IP20
Technical	
Data Sheet, Technical Information	9AKK107680A3585
Communication Interface	DALI
Number of Outputs	1
Number of LEDs	2
Compatible Bus Systems	DALI free@home (TP)
Product Range	free@home
Software Updateable	Yes
Manual Operation	No
Number of Batteries	0
Electrical	
Auxiliary Voltage AC/DC	100 240 V AC
Input Voltage (U <sub>in</sub> )	85 264 V AC
Power Loss	2 W
Design	
Color	grey
Dimensions	
Width in Number of Modular Spacings	4.0
Product Net Width	70 mm
Product Net Height	90 mm
Product Net Depth / Length	63.5 mm
Product Net Weight	0.133 kg
Dimension Diagram	2CDC072033F0015
Ordering	
E-Number (Finland)	2815664
E-Number (Norway)	4549796

DG-M-1.16.1 3/4

Material Compliance	
RoHS Information	2CDK507177D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK107492A1906
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240123
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Certificates and Declarations	
CB Certificate	9AKK108466A1905
Cyber Security Software Support Period	2 year
Declaration of Conformity - CE	2CDK507177D2701

External Classifications and Standards		
ETIM 9	EC001099 - System interface/media gateway for bus system	
eClass	V11.0 : 27143136	
UNSPSC	43222605	
IDEA Granular Category Code (IGCC)	6809 >> System interface/media gateway for bus system	

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Lighting\ Control \rightarrow DALI\ Gateways$ 









DG-M-1.16.1 4/4