



PRODUCT-DETAILS

N2102 BL

N2102 BL Switch 2-way



General Information

Extended Product Type	N2102 BL
Product ID	2CLA210200N1104
EAN	8427238089225
Catalog Description	N2102 BL Switch 2-way
Long Description	Color: White. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Screwless terminals Optional: locator LED lamp N2192. Size: 1 module.

Additional Information

Actuator Type	Rocker/button
CN8	85369010
Color	White
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Connection Type	Push-In

Construction Element	Modular device for domestic switching devices
Country or Territory of Origin	Spain
Customs Tariff Number	85369010
Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	No declaration needed
Degree of Protection	IP20
Design Range	Zenit
EAN	8427238089225
ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 9	EC001590 - Installation switch
EU Data Act Applicability and Compliance	Not Applicable
Illumination	Illuminated
Impact Resistance Rating	IK00
Instructions and Manuals	2CLX210109N1001
Invoice Description	N2102 BL Switch 2-way
Material	Plastic
Minimum Order Quantity	10 piece
Mounting Type	Flush-mounted
Number of Modules	1
Number of Rocker Switches	1
Package Level 1 Depth / Length	0.138 m
Package Level 1 EAN	8427238089225
Package Level 1 Gross Weight	0.21 kg
Package Level 1 Height	0.102 m
Package Level 1 Units	10 piece
Package Level 1 Width	0.126 m
Product Main Type	N2
Product Name	Switch 2-way
Product Net Depth / Length	73 mm
Product Net Height	44 mm
Product Net Weight	0.021 kg
Product Net Width	22 mm
REACH Information	No data - If REACH inform is not yet available for a certain product
Rated Current ( $I_n$ )	16 A
Rated Voltage ( $U_r$ )	250 V
Replaced Product ID (OLD)	2CL0N210201BR
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	Switch 2-way, SP - 1M - White
Surface Finishing	Untreated Glossy
Type of Fastening	Engage (Snap)
UNSPSC	39122226
WEEE B2C / B2B	Business To Consumer
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Wiring Configuration	Two-way switch

