



PRODUCT-DETAILS

N2101 AN

N2101 AN Switch 1-way



General Information	
Extended Product Type	N2101 AN
Product ID	2CLA210100N1804
EAN	8427238090634
Catalog Description	N2101 AN Switch 1-way
Long Description	Color: Anthracite. Rated voltage: 110 - 250 Vac Rated current: 16 AX. Rated power iLED (230/127 Vac): 200/100 W. Screwless terminals Optional: locator LED lamp N2191. Size: 1 module.

Additional Information	
Actuator Type	Rocker/button
CN8	85369010
Color	Anthracite
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Connection Type	Push-In
Construction Element	Modular device for domestic switching devices
Country or Territory of Origin	Spain
Customs Tariff Number	85369010
Data Sheet, Technical Information	9AKK10103A5108
Declaration of Conformity - CE	No declaration needed
Degree of Protection	IP20
Design Range	Zenit
EAN	8427238090634
ETIM 5	EC001590 - Switch
ETIM 6	EC001590 - Switch
ETIM 9	EC001590 - Installation switch
EU Data Act Applicability and Compliance	Not Applicable
Illumination	Illuminated
Impact Resistance Rating	IK00
Instructions and Manuals	2CLX210109N1001
Invoice Description	N2101 AN Switch 1-way
Material	Plastic
Minimum Order Quantity	10 piece
Mounting Type	Flush-mounted
Number of Modules	1
Number of Rocker Switches	1
Package Level 1 Depth / Length	0.138 m
Package Level 1 EAN	8427238090634
Package Level 1 Gross Weight	0.19 kg
Package Level 1 Height	0.102 m
Package Level 1 Units	10 piece
Package Level 1 Width	0.126 m
Product Main Type	N2
Product Name	Switch 1-way
Product Net Depth / Length	73 mm
Product Net Height	44 mm
Product Net Weight	0.019 kg
Product Net Width	22 mm
REACH Information	No data - If REACH inform is not yet available for a certain product
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Replaced Product ID (OLD)	2CL0N210108BR
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	Switch 1-way, SP - 1M - Anthracite
Surface Finishing	Decor Matt
Type of Fastening	Engage (Snap)
UNSPSC	39122226
WEEE B2C / B2B	Business To Consumer

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Wiring Configuration	Off switch 1-pole

