



PRODUCT-DETAILS

2018.5

Data outlet Rj45 1 gang No color - Zenit



General Information	
Extended Product Type	2018.5
Product ID	2CLA201850A1001
EAN	8427238053660
Catalog Description	Data outlet Rj45 1 gang No color - Zenit
Long Description	RJ45 type connector
	Cat.5e UTP
	In compliance with ANSI/TIA/EIA 568B.2 , ISO/IEC11801 & EN50173
	Universal TIA/EIA 568A and 568B labeling
	Housing: ABS UL-94-0
	Durability: 750 cycles min. (ISO/IEC 11801, IEC 60603-7-4)
	IDC: PC UL94V-0, Accept 22-26AWG solid wire
Contact: RJ45 8P8C, 3150 micro-inch gold plating over nickel plated on contact area	
Tool-less wiring	
Cover plate code: 8518.1, 8518.2, 8618.1, 8618.2, N2118.1, N2218.1, N2218.2, 8418.1, 8418.2, 8218.1, 8218.2, 5518.1 & 5518.2	

Installation	
Instructions and Manuals	2CLX210109N1001
Mounting Type	Flush-mounted
Type of Fastening	Engage (Snap)

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	9AKK10103A5108
Application	Rj45
Type of Indicator	Without indication field
Outlet Orientation	Straight

Design

Design Range	Zenit
Color	No color

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Depth / Length	31 mm
Product Net Weight	0.015 kg

Ordering

Replaced Product ID (OLD)	2CLA201850A1002 2CLA201850A1003
---------------------------	------------------------------------

Material Compliance

RoHS Information	2CLC201850A1001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	Product Not in WEEE Scope

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A1758
--------------------------------	-----------------

External Classifications and Standards

ETIM 9	EC000018 - Insert/cover for communication technology
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Data / Telecommunication / Antenna



360°