



PRODUCT-DETAILS

2018.6

Data outlet Rj45 1 gang No color - Zenit



General Information	
Extended Product Type	2018.6
Product ID	2CLA201860A1003
EAN	8427238195049
Catalog Description	Data outlet Rj45 1 gang No color - Zenit
Long Description	RJ45 type connector
	Cat.6 UTP
	In compliance with ANSI/TIA/EIA 568B.2 , ISO/IEC11801 & EN50173
	Universal TIA/EIA 568A and 568B labeling
	Housing: ABS UL-94-0
	Durability: 750 cycles min. (ISO/IEC 11801, IEC 60603-7-4)
	IDC: PC UL94V-0, Accept 22-26AWG solid wire
	Contact: RJ45 8P8C, 3150 micro-inch gold plating over nickel plated on contact area
Tool-less wiring	
Cover plate code: 8518.1, 8518.2, 8618.1, 8618.2, N2118.1, N2218.1, N2218.2, 8418.1, 8418.2, 8218.1, 8218.2, 5518.1 & 5518.2	
Installation	
Mounting Type	Flush-mounted
Type of Fastening	Engage (Snap)

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Technical

Data Sheet, Technical Information	9AKK10103A5108
Application	Rj45
Type of Indicator	Without indication field
Outlet Orientation	Straight
Number of Batteries	0

Design

Design Range	Zenit
Color	No color

Dimensions

Product Net Width	22 mm
Product Net Height	44 mm
Product Net Depth / Length	31 mm
Product Net Weight	15 g

Ordering

Replacement Product ID (NEW)	2CLA201860A1001
------------------------------	-----------------

Material Compliance

RoHS Information	2CLC201860A1003
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer

Certificates and Declarations

Declaration of Conformity - CE	9AKK106930A1758
--------------------------------	-----------------

External Classifications and Standards

ETIM 9	EC000018 - Insert/cover for communication technology
UNSPSC	39121406

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Data / Telecommunication / Antenna

