






## HELIA

wall and ceiling light, single-headed, LED, 3000K, 35°, white

Article number	156501
Product family	HELIA
Feed-in capability	No
Lamp included	Yes
Tilt range	90 Degree
Rotation range	350 Degree
Length	9.5 cm
Width	9 cm
Height	11.4 cm
Voltage	220-240V ~50/60Hz sek. 500mA
Max. wattage	11 Watt
Protection class	I
Beam angle	35 Degree
Material	Aluminium
Colour	white
Way of mounting	Surface wall / Surface ceiling mounting
Average lifespan	30000 Hours
Colour temperature	3000 Kelvin
Colour rendering index	90
Luminous flux	620 lm
Energy efficiency class	A++
Light distribution type 1	Direct
Light distribution type 3	rotationally symmetric
Catalogue page	BIG WHITE 2018: 343
form	round





#### Articles of this series

152360	HELIA 30, pendant, LED, 3000K, round, black, 7.5W
152361	HELIA 30, pendant, LED, 3000K, round, white, 7.5W
152369	HELIA 30, pendant, LED, 3000K, round, brushed copper, 7.5W
152370	HELIA 40, pendant, LED, 3000K, round, black, 9W
152371	HELIA 40, pendant, LED, 3000K, round, white, 9W
152379	HELIA 40, pendant, LED, 3000K, round, brushed copper, 9W
233221	HELIA, outdoor wall light, LED, 3000K, IP55, white, down, 8W
233223	HELIA, outdoor wall light, LED, 3000K, IP55, beige, 8W
233225	HELIA, outdoor wall light, LED, 3000K, IP55, anthracite, 8W
233231	HELIA, outdoor wall light, LED, 3000K, IP55, up/down, white, 2x6W
233233	HELIA, outdoor wall light, LED, 3000K, IP55, up/down, beige, 2x6W
233235	HELIA, outdoor wall light, LED, 3000K, IP55, up/down, anthracite, 2x6W
233241	HELIA, outdoor wall light, single-headed, LED, 3000K, IP55, white, tiltable, 8W
233245	HELIA, outdoor wall light, single-headed, LED, 3000K, IP55, anthracite, tiltable, 8W
233251	HELIA, outdoor wall light, double-headed, LED, 3000K, IP55, white, tiltable, 2x8W
233255	HELIA, outdoor wall light, double-headed, LED, 3000K, IP55, anthracite, tiltable, 2x8W
233261	HELIA, display fitting, LED, 3000K, IP55, white, 8W
233265	HELIA, display fitting, LED, 3000K, IP55, anthracite, 8W
233275	HELIA, outdoor floor stand, single-headed, LED, 3000K, IP55, anthracite, 8W, optional spike luminaire
233285	HELIA, outdoor floor stand, double-headed, LED, 3000K, IP55, anthracite, 16W, optional spike luminaire
1000610	HELIA, outdoor spike luminaire, LED, 3000K, anthracite, 38°, IP55

1000735	HELIA, outdoor spot, LED, 3000K, 35°, anthracite, IP55
143580	HELIA 50, spot for 1-circuit high-voltage track, LED, 3000K, black, 35°, incl. 1-circuit adapter
143581	HELIA 50, spot for 1-circuit high-voltage track, LED, 3000K, white, 35°, incl. 1-circuit adapter
152960	HELIA 50, spot for 3-circuit high-voltage track, LED, 3000K, black, 35°, incl. 3-circuit adapter
152961	HELIA 50, spot for 3-circuit high-voltage track, LED, 3000K, white, 35°, incl. 3-circuit adapter
156500	HELIA, wall and ceiling light, single-headed, LED, 3000K, 35°, black
156510	HELIA, wall and ceiling light, double-headed, LED, 3000K, 35°, black
156511	HELIA, wall and ceiling light, double-headed, LED, 3000K, 35°, white
184560	HELIA 50, spot for EASYTEC II high-voltage track, LED, 3000K, black, 35°, incl. EASYTEC II Adapter
184561	HELIA 50, spot for EASYTEC II high-voltage track, LED, 3000K, white, 35°, incl. EASYTEC II Adapter

The functional HELIA wall and ceiling light consists of an aluminium structure that is optionally available with a black or white housing. The lamp head can also be rotated and swivelled. Thanks to the built-in Premium LED, the single-headed HELIA luminaire is ready for direct connection to the 230V mains power supply.

#### Notes

---



---



---